

ECCO Machine I.375-24 Bravo Mount Conversion Work Order

We will not commence service if any category is left blank.

Page 1 of 3

First and Last Name: _____

Full MAILING Address:

Phone (text capable if possible): _____

Email address: _____

Suppressor(s) make, model and serial number(s):

Mounting system(s) to be used after conversion to I.375-24 Bravo Pattern:

Muzzle device protrusion from register face of Bravo adapter: _____ inches, or unknown _____

Other Manufacturer`s Mount/Adapter included or drop shipped? **We do not stock or sell any other manufacturer`s parts. * We HIGHLY recommend that you send in or drop ship mounts from another manufacturer so we can guarantee fitment.*

Select one:

- I have included another manufacturer`s mount in this package
- I will be using another manufacturer`s mount but it is being drop shipped to ECCO Machine
- I am purchasing an ECCO Machine Mount or Adapter (detailed on next page)
- I will be using another manufacturer`s mount/adapter but I have not included/drop shipped one for fitment and I understand that ECCO Machine cannot guarantee fitment of my mount/adapter

Moly Resin Refinishing of Suppressor *(applied to entire suppressor)*

Circle your color choice from below stock colors:

- SOCOM Black (Default)
- Grey-Black Colt Flat
- Flat Grey
- Burnt Bronze
- Tan FDE
- Coyote brown
- Flat Brown
- OD Green
- Foliage Green
- No Refinish (-\$25)

ECCO Machine I.375-24 Bravo Mount Conversion Work Order

We will not commence service if any category is left blank.

Page 2 of 3

Purchase of ECCO Machine I.375-24 Bravo Mount/Adapters

If you'd like to purchase any of our manufactured mounts or adapters to work with your suppressor after the conversion, please indicate below.

Circle your desired purchase:

- Direct Thread Adapter (\$66); specify thread pitch _____
- Cherry Bomb pattern adapter (\$67)
- Griffin pattern .7" long adapter (\$81)
- Rugged taper mount adapters (\$71)
- SAS Taper mount adapters (\$81)
- Gyrex adapters (\$165 adapter & brake combo); specify thread pitch _____

Moly Resin Refinish Mount/Adapter to match suppressor

We can Moly resin refinish many mounts/adapters to match your suppressor. ECCO Machine mounts/adapters are no charge for refinish. Multi-piece adapters, like DA Keymo, incur a \$25 charge for refinishing. *(Important note: There are some other manufacturer mounts that we are unable to refinish)*

Indicate your choice:

Refinish simple mount to match suppressor if possible: Yes _____ No _____

Refinish multi-piece mount to match suppressor if possible (+\$25): Yes _____ No _____

Refinish ECCO Machine mount/adapter to match suppressor: Yes _____ No _____

Rocksett Mount/Adapter in suppressor: Yes _____ No _____

End cap repair needed? *(will incur additional cost if they require welding or cap replacement)*

Yes, my end cap needs repaired _____ No, my end cap does not need repaired _____

Dead Air front end cap conversion? *(Not available on all models)*

We do not stock or sell Dead Air front caps, so if you elect and we are able to perform that conversion on your suppressor, you will need to source your own caps. If you desire the cap to be finished to match the suppressor, it needs to be included. There is no additional charge for refinishing the cap at the time of conversion with refinish.

Select one:

No _____

Yes, Dead Air Front Cap Conversion if possible (+\$75) _____

Yes, Moly resin refinish of my provided DA front cap to match suppressor: _____

Recore needed? *(will contact prior to performing work)* Yes _____ No _____

Any additional information or services desired:

ECCO Machine 1.375-24 Bravo Mount Conversion Work Order

We will not commence service if any category is left blank.

Page 3 of 3

Mount Conversion Important Info:

- Not all muzzle devices will be compatible with all suppressor models due to blast chamber length and/or muzzle device diameter. Some conversions, namely AAC titanium suppressors, will not support muzzle devices with larger (>.8") diameters. Many conversions will not support muzzle devices over 1.1" diameter, such as JMAC brake mounts.

- AAC Cyclones do need the first baffle bored out for conversion to be able to accommodate virtually any muzzle device. There is no additional charge for this. It may be necessary on some other models as well.

- Shortening can be done to a degree on some models, and ATF has never specified a maximum amount, only say "minimally for repair purposes". We are not comfortable shortening more than 1", and that is usually in cases where there will be adapters/mounts used that make up some or all of the removed length.

- We get a lot of inquiries about Surefire mount adapters. Surefire does not manufacture a mount adapter. We can convert your supplied Surefire Trainer or Warden into a 1.375-24 Bravo (HUB, "ASR") mount adapter. If interested, ask us for more information.